

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/899,128	07/06/2001	Eric Jensen	SB14	3792
7590 11/03/2006		EXAMINER .		
Duane Morris LLP 1667 K Street, N.W., Suite 700			PEREZ, ANGELICA	
Washington, D	•		ART UNIT PAPER NUMBER	
			2618	
			DATE MAILED: 11/03/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)				
	Office Action Commen	09/899,128	JENSEN, ERIC				
	Office Action Summary	Examiner	Art Unit				
		Angelica M. Perez	2618				
Period fo	The MAILING DATE of this communication app r Reply	pears on the cover sheet with the c	orrespondence ad	dress			
THE N - Exter after - If the - If NO - Failur - Any re	ORTENED STATUTORY PERIOD FOR REPL MAILING DATE OF THIS COMMUNICATION. Issions of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. Period for reply specified above is less than thirty (30) days, a replete period for reply is specified above, the maximum statutory period re to reply within the set or extended period for reply will, by statute eply received by the Office later than three months after the mailined patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be timely within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE	nely filed s will be considered timely the mailing date of this co D (35 U.S.C. § 133).				
	Responsive to communication(s) filed on <u>06 J</u>	ulv 2001.					
•		action is non-final.					
. ,—							
Dispositi	on of Claims		•				
4) 🖂	Claim(s) 1-18 is/are pending in the application	· ·					
	4a) Of the above claim(s) is/are withdra						
	Claim(s) is/are allowed.						
6)⊠	Claim(s) 1-18 is/are rejected.						
7)	Claim(s) is/are objected to.						
8)[Claim(s) are subject to restriction and/o	or election requirement.		and the second s			
Applicati	on Papers						
9) 🗌 .	The specification is objected to by the Examine	er.	•				
10)🛛	The drawing(s) filed on <u>06 July 2001</u> is/are: a)	□ accepted or b) □ objected to be	y the Examiner.	· · · · · · .			
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
🗖 .	Replacement drawing sheet(s) including the correc	· · · · · · · · · · · · · · · · · · ·		; ·			
·	The oath or declaration is objected to by the E	xaminer. Note the attached Office	Action or form PT	O-152.			
Priority u	ınder 35 U.S.C. §§ 119 and 120						
	Acknowledgment is made of a claim for foreig ☐ All b) ☐ Some * c) ☐ None of:)-(d) or (f).				
* 5	 Certified copies of the priority document Certified copies of the priority document Copies of the certified copies of the priority application from the International Burea tee the attached detailed Office action for a list 	ts have been received in Applicationity documents have been received u (PCT Rule 17.2(a)).	ed in this National	Stage			
13)∏ A si 3`	cknowledgment is made of a claim for domest nce a specific reference was included in the fir 7 CFR 1.78.) The translation of the foreign language pro	ic priority under 35 U.S.C. § 119(east sentence of the specification or	e) (to a provisional r in an Application				
	cknowledgment is made of a claim for domest ference was included in the first sentence of the						
Attachment							
2) Notic	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449) Paper No(s) 5	5) D Notice of Informal P	(PTO-413) Paper No(a atent Application (PTC				

Art Unit: 2618

DETAILED ACTION

Drawings

1. The amendment regarding the drawings has been considered and accepted by the examiner.

Specification

2. Amendment to the disclosure has been considered and accepted by the Examiner.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1-6, 8, 11-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tayloe (Tayloe et al., Patent No: 5,095,500) in view of Manabe (Manabe, Shinichi; US Patent No.: 5,423,067 A).

Regarding claim 1, Tayloe teaches of a method for collecting and processing received signal level data and geolocation data over a wireless system (column 2, lines 39-47), comprising the steps of: gathering signal strength data corresponding to mobile units (column 2, lines 52-55 and column 4, lines 8-10); gathering geolocation location data corresponding to mobile units (column 2, lines 55-62 and column 4, lines 8-10); data pairs correlating a measured signal strength at a known geolocation (column 2,

Art Unit: 2618

lines 55-62 and column 4, lines 32-36; where the pair are the generated representation) and of generating a set of data pairs correlating measured signal strength values to specific geographic locations throughout the wireless system (column 2, lines 55-62; column 4, lines 18-21 and column 5, lines 41-49).

Although Tayloe does not specifically show where the data corresponds to the same units, it is well known in the art, that the data should be data of units of interest to the system, thus, the same units.

However, in related art concerning a digital mobile communications system and method for providing intensity/coverage reference maps using base stations and mobile stations, Manabe teaches where identifying the gathered location data and the gathered strength data corresponding to the same mobile units to form data pairs correlating a measured signal strength at a known geolocation (column 6, lines 26-43 and column 7, lines 5-15 and table 1).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine Tayloe's gathered location data and gathered strength data with corresponding to the same mobil unit with Manabe's data regarding the same units in order to maintain accurate data corresponding to the system analyzed, as taught by Manabe.

Regarding claim 2, Tayloe and Manabe teach all the limitations according to claim 1. Tayloe also teaches where: the signal strength data is collected by measuring the signal strength of a signal received by a cell site, from a mobile wireless unit (columns 2, lines 44-47 and column 4, lines 22-25).

Art Unit: 2618

Regarding claim 3, Tayloe and Manabe teach all the limitations of claim 1. In addition, Tayloe teaches where the signal strength data is collected by measuring the signal strength of a signal received by a wireless mobile unit, from a cell site (columns 2, lines 44-47 and column 4, lines 22-25).

Regarding claim 4, Tayloe and Manabe teach all the limitations of claim 1. In addition, Tayloe teaches where: the geographic location data is determined by triangulation of said mobile unit with respect to a plurality of stationary cell site antennae (column 8, lines 63-68).

Regarding claim 5, Tayloe and Manabe teach all the limitations of claim 1. Also, Tayloe teaches where: the geographic location data is determined with reference to a set of global positioning satellites (column 9, line 4).

Regarding claim 6, Tayloe teaches all the limitations of claim 1. Also, Tayloe teaches of establishing the temporal correlation of the identified data to identify data pairs within sufficiently close temporal proximity to establish correlation of a measured signal strength with a measured geolocation (column 3, lines 46-62). In addition, he teaches where the correlation includes gathered location data and gathered strength data corresponding to the same mobil unit (column 2, lines 55-62).

Tayloe does not teach of the identification of the gathered location data and gathered strength data corresponding to the same mobil unit.

Manabe teaches of the identification of the gathered location data and gathered strength data corresponding to the same mobil unit (column 8, lines 1-5 and 11-17; where the "identifier code" and "location code" corresponds to a specific unit).

Art Unit: 2618

It would have been obvious to a one of ordinary skill in the art at the time the invention was made to combine Tayloe's gathered location data and gathered strength data corresponding to the same mobil unit with Manabe 's same unit data collection with the purpose of maintaining accurate positioning of each mobile station.

Regarding claim 8, Tayloe and Manabe teach all the limitations of claim 1. Also, Tayloe teaches of analyzing the set of data pairs to evaluate the effective RF propagation within the wireless system (column 6, lines 59-61; where the evaluated RF propagation leads to the necessary adjustments in the RF planning).

Regarding claim 11, Tayloe and Manabe teach all the limitations of claim 1. In addition, Tayloe teaches of gathering drop call incident data from the system; and identifying the geolocation corresponding to the dropped call incidents (column 7, lines 49-59).

Regarding claim 12, Tayloe and Manabe teach all the limitations of claim 11.

Also, Tayloe teaches of generating a set of data points correlating drop call incidents with geolocation of occurrence (column 7, lines 49-59; where the correlation provides the information to adjust the electromagnetic coverage of the system).

Regarding claim 13, Tayloe in view of Manabe teaches all the limitations of claim 12. Tayloe further teaches of analyzing the drop call geolocation data set to determine an effective implementation for addressing dropped calls (column 7, lines 51-59).

Regarding claim 14, Tayloe and Manabe teach all the limitations of claim 1. In addition, Tayloe teaches of gathering blocked call incident data from the system; and

Art Unit: 2618

identifying the geolocation corresponding to said blocked call incidents (column 4, lines 48-50, column 5, lines 42-52 and column 8, lines 24-35).

Regarding claim 15, Tayloe and Manabe teach all the limitations of claim 14. In addition, Tayloe further teaches of generating a set of data points correlating blocked call incidents with geolocation of occurrence (column 4, lines 61-67).

Regarding claim 16, Tayloe and Manabe teach all the limitations of claim 15. In addition, Tayloe teaches of analyzing the blocked call geolocation data set to determine an effective implementation for addressing blocked calls (column 8, lines 36-49 and column 5, lines 50-52).

Regarding claim 17, Tayloe teaches all the limitations of claims 1 and 6. Also, Tayloe teaches time stamping the gathered signal strength data and the gathered geolocation data with reference to a common reference time (column 3, lines 46-50; where advanced timing techniques include time-stamp).

Regarding claim 18, Tayloe teaches of an apparatus that performs the method of claims 1. Tayloe also teaches where the apparatus (column 7, lines 14-16) comprises RF signal measurement equipment for receiving signal strength data corresponding to mobile units (column 3, lines 46-50); storage for combining the signal strength data and the geolocation data (column 16-20 of the abstract; where the data needs to be "stored" before it is correlated); a processor for identifying signal strength data elements corresponding to geolocation data elements, for generating a set of data pairs correlating signal strength values to geographic locations within the wireless system

Art Unit: 2618

(column 2, lines 55-62; where the processor is referred a s the "central operation and maintenance unit").

Although Tayloe does not specifically show where the data corresponds to the same units, it is well known in the art, that the data should be data of units of interest to the system, thus, the same units.

However, in related art concerning a digital mobile communications system and method for providing intensity/coverage reference maps using base stations and mobile stations, Manabe teaches where identifying the gathered location data and the gathered strength data corresponding to the same mobile units to form data pairs correlating a measured signal strength at a known geolocation (column 6, lines 26-43 and column 7, lines 5-15 and table 1).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine Tayloe's gathered location data and gathered strength data corresponding to the same mobil unit with Manabe's data regarding the same units in order to maintain accurate data corresponding to the system analyzed, as taught by Manabe.

6. Claims 7 and 9 -10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tayloe (Tayloe et al., Patent No: 5,095,500) in view of Manabe and further in view of Montoya (Montoya, Alexander John; US Patent No: 6,400,943).

Regarding claim 7, Tayloe and Manabe teach all the limitations of claim 1. In addition, Tayloe teaches where the correlation includes matching the geolocation data

Art Unit: 2618

with the signal strength data of a mobile unit based upon the receipt of data corresponding to the same mobile unit (column 13, lines 52-65).

Tayloe and Manabe do not specifically teach where the signal strength and the geolocation are gathered in real-time at a common data receiver.

In further art, Montoya teaches where the signal strength and the geolocation are gathered in real-time at a common data receiver (column 6, lines 9-16).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine Tayloe and Manabe's gathered location data and gathered strength data corresponding to the same mobil unit with Montoya's real-time measurements in order to determine optimal handoffs thresholds, as taught by Montoya.

Regarding claim 9, Tayloe and Manabe teach all the limitations of claim 1. Tayloe further teaches of identifying the cell site which gathered each signal strength data measurement corresponding to each geolocation within the wireless system (column 2, lines 49-65 and figures 2, 3 and 4).

Montoya further teaches of determining the identified cell site likely to receive a signal from a mobile unit at each identified geolocation within the wireless system (column 5, lines 9-21; where the location code that identifies helps to decide what base station corresponds to the identified location).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine Tayloe and Manabe's gathered location data and

Art Unit: 2618

gathered strength data corresponding to the same mobil unit with Montoya's the identified cells in order to maintain accurate record of the data.

Regarding claim 10, Tayloe, Manabe and Montoya teaches all the limitations of claim 9. Montoya further teaches of redefining the projected distribution of likely server cell sites within the wireless system based upon the determination of identified likely cell sites (column 8 lines, 11-17).

Response to Arguments

5. Applicant's arguments with respect to claims 1-18 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

6. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Angelica Perez whose telephone number is 571-272-7885. The examiner can normally be reached on 6:00 a.m. - 1:30 p.m., Monday - Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nay Maung can be reached on (571) 272-7882. The fax phone numbers for the organization where this application or proceeding is assigned are 571-273-8300 for regular communications and for After Final communications.

Art Unit: 2618

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either the PAIR or Public PAIR. Status information for unpublished applications is available through the Private PAIR only. For more information about the pair system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). Information regarding Patent Application Information Retrieval (PAIR) system can be found at 866-217-9197 (toll-free).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the TC 2600's customer service number is 703-306-

0377.

LANA LE DRIMARY EXAMINER

Ang€lîca Per⊛z Fxaminer

Art Unit 2618

October 18, 2006